

Electronically controlled brake drum system

To ensure a constant and controlled
warp tension during weaving from cone creel


EBRT




**JAKOB MÜLLER
GROUP**

Your world. Our technologies.


EBRT



EBRT 1.0 300 L



EBRT 1.0 150Q



EBRT 1.0 300Q

Electronically controlled brake drum system

A belt is not just the sum of the woven threads. The quality and thus the safety of a belt are significantly influenced by the weaving process and here especially by the absolutely equal tension of all warp threads. For this purpose, the Jakob Müller Group offers a range of products that can be very easily integrated into the production process, depending on the application. One of these products is the proven electronic brake drum system (EBRT for short).



Features

- Constant and controlled warp tension throughout the weaving process
- Consistently high quality of the end product



Advantages

- Equal warp tension allows less yarn use while achieving the same breaking force
- Less material waste due to constant parameters over the entire order run length
- Less wear and tear on the weaving machine due to reduced tensile stress caused by yarn feeding
- Higher efficiency through increased productivity due to greater yarn run lengths when weaving from cone creel
- Can be integrated into the production process at any time



Applications

Products with high quality requirements in the field of:

- Climbing harnesses/ harnesses
- Safety harnesses / Seat belts
- Lifting harnesses




Benefits


- Higher margin
- Lower costs
- Higher productivity
- Process reliability

Technical Specifications

Type	Space requirement	Installed capacity
EBRT 1.0 300L	1550x1200x1700 LxWxH	1,5 kW
EBRT 1.0 300Q	1060x480x530 LxWxH	0,75 kW
EBRT 1.0 150Q	1060x480x460 LxWxH	0,75 kW



EBRT 1.0 300L



EBRT 1.0 150Q/300Q



mymüller



mymuenet[®]

mymuenet



Copyright © 2021 by Jakob Müller AG Frick
5070 Frick Switzerland

Printed in Italy. All rights reserved.

No part of this publication may be reproduced by any means, nor translated, nor transmitted into a machine language without the written permission of the publishers.

This leaflet contains photos and technical data for information only, without contractually engagement. Subject to change without notice.

Rep.:



Jakob Müller AG Frick
5070 Frick, Switzerland
Tel. +41 62 8655 111

www.mueller-frick.com